CHAPTER 3

WATER QUALITY ASSESSMENT OF THE WATTS BAR WATERSHED

- 3.1 Background
- 3.2 Data Collection
 - 3.2.A. Ambient Monitoring Sites
 - 3.2.B. Ecoregion Sites
 - 3.2.C. Watershed Screening Sites
 - 3.2.D. Special Surveys
- 3.3 Status of Water Quality
 - 3.3.A. Assessment Summary
 - 3.3.B. Use Impairment Summary

3.1 BACKGROUND. Section 305(b) of The Clean Water Act requires states to report the status of water quality every two years. Historically, Tennessee's methodologies, protocols, frequencies and locations of monitoring varied depending upon whether sites were ambient, ecoregion, or intensive survey. Alternatively, in areas where no direct sampling data existed, water quality may have been assessed by evaluation or by the knowledge and experience of the area by professional staff.

In 1996, Tennessee began the watershed approach to water quality protection. In the Watershed Approach, resources—both human and fiscal—are better used by assessing water quality more intensively on a watershed-by-watershed basis. In this approach, water quality is assessed in year three, following one to two years of data collection. More information about the Watershed Approach may be found at http://www.state.tn.us/environment/wpc/wshed1.htm.

The assessment information is used in the 305(b) Report (<u>The Status of Water Quality in Tennessee</u>) and the 303(d) list as required by the Clean Water Act.

The 305(b) Report documents the condition of the State's waters. Its function is to provide information used for water quality based decisions, evaluate progress, and measure success.

Tennessee uses the 305(b) Report to meet four goals (from 2000 305(b) Report):

- 1. Assess the general water quality conditions of rivers, streams, lakes and wetlands
- 2. Identify causes of water pollution and the sources of pollutants

- 3. Specify waters which have been found to pose human health risks due to elevated bacteria levels or contamination of fish
- 4. Highlight areas of improved water quality

EPA aggregates the state use support information into a national assessment of the nation's water quality. This aggregated use support information can be viewed at EPA's Surf Your Watershed site at:

http://www.epa.gov/OW/resources/9698/tn.html

The 303(d) list is a compilation of the waters of Tennessee that are water quality limited and fail to support some or all of their classified uses. Water quality limited streams are those that have one or more properties that violate water quality standards. Therefore, the water body is considered to be impacted by pollution and is not fully meeting its designated uses. The 303(d) list does not include streams determined to be fully supporting designated uses as well as streams the Division of Water Pollution Control cannot assess due to lack of water quality information. Also absent are streams where a control strategy is already in the process of being implemented.

Once a stream is placed on the 303(d) list, it is considered a priority for water quality improvement efforts. These efforts not only include traditional regulatory approaches such as permit issuance, but also include efforts to control pollution sources that have historically been exempted from regulations, such as certain agricultural and forestry activities. If a stream is on the 303(d) list, the Division of Water Pollution Control cannot use its regulatory authority to allow additional sources of the same pollutant(s).

States are required to develop Total Maximum Daily Loads (TMDLs) for 303(d)-listed waterbodies. The TMDL process establishes the maximum amount of a pollutant that a waterbody can assimilate without exceeding water quality standards and allocates this load among all contributing pollutant sources. The purpose of the TMDL is to establish water quality objectives required to reduce pollution from both point and nonpoint sources and to restore and maintain the quality of water resources.

The current 303(d) List is available on the TDEC homepage at http://www.state.tn.us/environment/water.htm and information about Tennessee's TMDL program may be found at http://www.state.tn.us/environment/wpc/tmdl.htm.

This chapter provides a summary of water quality in the Watts Bar Watershed, and summarizes data collection, assessment results and a description of impaired waters.

3.2 DATA COLLECTION. Comprehensive water quality monitoring in the Watts Bar Watershed was conducted in 1998. Data were collected from 2 sites and were from four types of site: 1)Ambient, 2)Ecoregion, 3)Watershed, or 4)Fish kill investigation.




Figure 3-1. Number of Sampling Events Using the Traditional Approach (1995) and Watershed Approach (1998) in the Watts Bar Watershed.




Figure 3-2. Location of Monitoring Sites in the Watts Bar Watershed. Red, Watershed Monitoring Sites; Black, Observational Data Sites; Gold, Rapid Bioassessment Sites; Green, Ambient Monitoring Sites. Locations of Loudon, Rockwood and Spring City are shown for reference.

TYPE	NUMBER	TOTAL NUMBER OF SAMPLING EVENTS		
		CHEMICAL ONLY	BIOLOGICAL ONLY	BIOLOGICAL PLUS CHEMICAL (FIELD PARAMETERS)
Watershed	2	12		
Totals	2	12		

Table 3-1. Monitoring Sites in the Watts Bar Watershed During the Data Collection Phase of the Watershed Approach.

3.2.A. Ambient Monitoring Sites. These fixed-station chemical monitoring sites are sampled quarterly or monthly by the Division of Water Pollution Control Environmental Assistance Center-Knoxville Water Pollution Control staff (this is in addition to samples collected by water and wastewater treatment plant operators). Samples are analyzed by the Tennessee Department of Health, Division of Environmental Laboratory Services. Ambient monitoring data are used to assess water quality in major bodies of water where there are NPDES facilities and to identify trends in water quality. Water quality parameters measured in the Watts Bar Watershed are provided in Watts Bar-Appendix IV.

Data from ambient monitoring stations are entered into the STORET (Storage and Retrieval) system administered by EPA. Some ambient monitoring stations are scheduled to be monitored as watershed sampling sites.

3.2.B. Ecoregion Sites. Ecoregions are relatively homogeneous areas of similar geography, topography, climate and soils that support similar plants and animals. The delineation phase of the Tennessee Ecoregion Project was completed in 1997 when the ecoregions and subecoregions were mapped and summarized (EPA/600/R-97/022). There are eight Level III Ecoregions and twenty-five Level IV subecoregions in Tennessee (see Chapter 2 for more details). The Watts Bar Watershed lies within 2 Level III ecoregions (Ridge and Valley and Southwestern Appalachians) and contains 5 subecoregions (Level IV):

- Southern Limestone/Dolomite Valleys and Low Rolling Hills (67f)
- Southern Shale Valleys (67g)
- Southern Dissected Ridges and Knobs (67h)
- Cumberland Plateau (68a)
- Plateau Escarpment (68c)

Ecoregion reference sites are chemically monitored using methodology outlined in the Division's Chemical Standard Operating Procedure (Standard Operating Procedure for Modified Clean Technique Sampling Protocol). Macroinvertebrate samples are collected in spring and fall. These biological sample collections follow methodology outlined in the Tennessee Biological Standard Operating Procedures Manual. Volume 1: Macroinvertebrates and EPA's Revision to Rapid Bioassessment Protocols for use in Streams and Rivers.

Ecoregion stations are scheduled to be monitored as Watershed sampling sites.




Figure 3-3. Benthic Macroinvertebrate and Habitat Scores for Watts Bar Ecoregion RBP III Sites. Boxes and bars illustrate 10th, 25th, median, 75th, and 90th percentiles. Extreme values are also shown as dots. EPT and Taxa scores are number of genus observed; habitat score is calculated as described in EPA 841-D-97-002




Figure 3-4. Select Chemical Data Collected in Watts Bar Watershed Ecoregion Sites. Boxes and bars illustrate 10th, 25th, median, 75th, and 90th percentiles. Extreme values are also shown as dots.

<u>3.2.C.</u> Watershed <u>Sites.</u> Activities that take place at watershed sites are benthic macroinvertebrate biological stream surveys, physical habitat determinations and/or chemical monitoring. Following review of existing data, watershed sites are selected in Year 1 of the watershed approach when preliminary monitoring strategies are developed. Additional sites may be added in Year 2 when additional monitoring strategies are implemented.

A Biological Reconnaissance (BioRecon) is used as a screening tool to describe the condition of water quality, in general, by determining the absence or presence of clean water indicator organisms, such as EPT (Ephemeroptera [mayflies], Plecoptera [stoneflies], Trichoptera [caddisflies]). Factors and resources used for selecting BioRecon sites are:

- The current 303(d) list,
- HUC-11 maps (every HUC-11 is scheduled for a BioRecon)
- Land Use/Land Cover maps
- Topographic maps
- Locations of NPDES facilities
- Sites of recent ARAP activities

An intensive multiple or single habitat assessment involves the regular monitoring of a station over a fixed period of time. Intensive surveys (Rapid Bioassessment Protocols) are performed when BioRecon results warrant it.

3.2.D. Special Surveys. These investigations include:

- ARAP in-stream investigation
- Time-of-travel dye study
- Sediment oxygen demand study
- Lake eutrophication study
- Fluvial geomorphology

These special surveys are performed when needed.

3.3. STATUS OF WATER QUALITY. Overall use support is a general description of water quality conditions in a water body based on determination of individual use supports. Use support determinations, which can be classified as monitored or evaluated, are based on:

- Data less than 5 years old (monitored)
- Data more than 5 years old (evaluated)
- Knowledge and experience of the area by technical staff (evaluated)
- Complaint investigation (monitored, if samples are collected)
- Other readily available Agencies' data (monitored)
- Readily available Volunteer Monitoring data (monitored, if certain quality assurance standards are met)

All readily available data are considered, including data from TDEC Environmental Assistance Centers, Tennessee Department of Health (Aquatic Biology Section of Laboratory Services), Tennessee Wildlife Resources Agency, National Park Service, Tennessee Valley Authority, U.S. Army Corps of Engineers, U.S. Environmental Protection Agency, U.S. Geological Survey, U.S. Forest Service, universities and colleges, the regulated community and the private sector.

The assessment is based on the degree of support of designated uses as measured by compliance with Tennessee's water quality standards.




Figure 3-5. Water Quality Assessment for Rivers and Streams in the Watts Bar Watershed. Assessment data (stream miles) are based on the 2000 Water Quality Assessment.




Figure 3-6. Water Quality Assessment for Lakes in the Watts Bar Watershed. Assessment data (stream miles) are based on the 2000 Water Quality Assessment. More information is provided in Watts Bar-Appendix III.




Figure 3-7a. Overall Use Support Attainment in the Watts Bar Watershed. Assessment data are based on the 2000 Water Quality Assessment. Blue, Fully Supports Designated Use; Yellow, Partially Supports Designated Use; Red, Does Not Support Designated Use; Gray, Not Assessed. Water Quality Standards are described at http://www.state.tn.us/sos/rules/1200/1200-04/1200-04.htm. Loudon, Rockwood and Spring City are shown for reference. More information is provided in Watts Bar-Appendix III.




Figure 3-7b. Fish and Aquatic Life Use Support Attainment in the Watts Bar Watershed. Assessment data are based on the 2000 Water Quality Assessment. Blue, Fully Supports Designated Use; Yellow, Partially Supports Designated Use; Red, Does Not Support Designated Use; Gray, Not Assessed. Water Quality Standards are described at http://www.state.tn.us/sos/rules/1200/1200-04/1200-04.htm. Loudon, Rockwood and Spring City are shown for reference.




Figure 3-7c. Recreation Use Support Attainment in the Watts Bar Watershed. Assessment data are based on the 2000 Water Quality Assessment. Blue, Fully Supports Designated Use; Yellow, Partially Supports Designated Use; Gray, Not Assessed. Water Quality Standards are described at http://www.state.tn.us/sos/rules/1200/1200-04/1200-04.htm. Loudon, Rockwood and Spring City are shown for reference.




Figure 3-7d. Irrigation Use Support Attainment in the Watts Bar Watershed. Assessment data are based on the 2000 Water Quality Assessment. Blue, Fully Supports Designated Use; Gray, Not Assessed. Water Quality Standards are described at http://www.state.tn.us/sos/rules/1200/1200-04/1200-04.htm. Loudon, Rockwood and Spring City are shown for reference.




Figure 3-7e. Livestock Watering and Wildlife Use Support Attainment in the Watts Bar Watershed. Assessment data are based on the 2000 Water Quality Assessment. Blue, Fully Supports Designated Use; Gray, Not Assessed. Water Quality Standards are described at http://www.state.tn.us/sos/rules/1200/1200-04/1200-04.htm. Loudon, Rockwood and Spring City are shown for reference.




Figure 3-8a. Impaired Streams Due to Habitat Alteration in the Watts Bar Watershed. Assessment data are based on the 2000 Water Quality Assessment.; Yellow, Partially Supports Designated Use; Red, Does Not Support Designated Use. Loudon, Rockwood and Spring City are shown for reference. More information is provided in Watts Bar-Appendix III.




Figure 3-8b. Impaired Streams Due to Organic Enrichment/Low Dissolved Oxygen Levels in the Watts Bar Watershed. Assessment data are based on the 2000 Water Quality Assessment. Yellow, Partially Supports Designated Use; Red, Does Not Support Designated Use. Loudon, Rockwood and Spring City are shown for reference. More information is provided in Watts Bar-Appendix III.




Figure 3-8c. Impaired Streams Due to Siltation in the Watts Bar Watershed. Assessment data are based on the 2000 Water Quality Assessment. Yellow, Partially Supports Designated Use; Red, Does Not Support Designated Use. Loudon, Rockwood and Spring City are shown for reference. More information is provided in Watts Bar-Appendix III.




Figure 3-8d. Impaired Streams Due to the presence of PCBs in Fish Tissue in the Watts Bar Watershed. Assessment data are based on the 2000 Water Quality Assessment. Yellow, Partially Supports Designated Use; Red, Does Not Support Designated Use. Loudon, Rockwood and Spring City are shown for reference. More information is provided in Watts Bar-Appendix III.

The listing of impaired waters that do not support designated uses (the 303(d) list) is traditionally submitted to EPA every two years. A copy of the most recent 303(d) list may be downloaded from: http://www.state.tn.us/environment/water.htm

In the year 2002 and beyond, the 303(d) list will be compiled by using EPA's ADB (Assessment Database) software developed by RTI (Research Triangle Institute). The ADB allows for a more detailed segmentation of waterbodies. While this results in a more accurate description of the status of water quality, it makes it difficult when comparing water quality assessments with and without using this tool. A more meaningful comparison will be between assessments conducted in Year 3 of each succeeding five-year cycle.